the many faces of



Why Consistency is Not Everything, and Seamless Task Migration is Key

- Manas Tungare
- Pardha S. Pyla
- Manuel Pérez-Quiñones



Consistency

- Data
- Functionality
- Interaction
- Behavioral
- Context
- Definitions?

- also,
- Task Disconnects
- Seamless Task Migration
- A brief introduction

Examples

- Features, not products
- Certain forms of consistency present
- Others, absent
- What makes it good?
- ... Or bad?

Consistency? Data? Functionality? Interaction? Behavioral? Context

iTunes + iPod





- iPod Shuffle
- Podcasts



Address book





- Search / browse
- Large type vs. 'Call'



Calendar



Calendars

Free Busy Info

Birthdays

Movie, Fire Ear, Dance A

Brithdays

Cradular

Reminder

CHI2006

A

Noon

CHI2006

A

Dr. Pérez

2 PM

CS 5984: PIM

3 PM

CS 5984: PIM

3 PM

CS 5984: PIM

Cookout

Profix

- Cellphone Ul
- Voice access



Alarms



- Chaos
- Support for Task Migration?

Consistency

* Data

Functionality


Interaction

Behavioral

Context

Maintaining context





- Resume playback
- Resume editing (e.g. vi)



Task Disconnects

 The break in continuity that occurs due to the extra actions outside the task at hand that are necessary when a user attempts to accomplish a task using more than one device.

Design Issues

- Holistic Interaction Design
 - ... for an ecosystem of devices
- Task & data partitioning
- Minimize planning activity & cognitive effort

Conclusion

Seamless Task Migration
as a higher goal than consistency
for successful
Multiple User Interfaces

Questions & Discussion

